

WALK on your hardwood floor today

















BRUSH BOX - Satin Finish

WALK on your very own REAL Hardwood floor today.

In the hectic world we all live in, its nice to be able to take the time and WALK on a beautiful Engineered Hardwood floor.

With its unique glueless locking system HM WALK is fast and easy to install in your home.

HM WALK is an engineered hardwood floor, which means that the surface you WALK on and see is made of strong Hardwood, while underneath the surface HM WALK uses an extremely stable 9 ply construction made of plantation Eucalypt. This type of construction ensures the maximum use of our precious hardwood, which in turn is better for the environment.


# AMERICAN WHITE OAK SPOTTED GUM BLACKBUTT BRUSH BOX IRONBARK IRONBARK SYDNEY BLUE GUM



# WALK on your hardwood floor today











State of the art production techniques

HM WALK uses some of the latest techniques in its construction – from its super strong 13 coat system, its conservative use of the Hardwood surface through to the plantation Eucalypt core. It's flooring that has been engineered to not only look good and respect the environment, but to stand up to the everyday running of an Australian household.



Environment

13 Coat System



Using veneer only sourced and selected

from sustainable managed forests, HM

WALK ensures the product maximises

used in HM WALK is manufactured

using plantation Eucalypt hardwood.

HM WALK uses a state of the art

European coating system, utilising 13

separate coats to ensure a tough, anti

the precious resource. The core material



### 25 Year Warranty

HM WALK carries a 25 year warranty on the construction of the product in domestic applications. This ensures you have peace of mind that HM WALK is strong, stable and won't fall apart.

Matching

### **Matching Accessories**

Complete Floors Australia stocks a collection of anodised and powder coated trims, MDF wrapped scotia and foam underlay designed to aid in the completion your flooring system.

## Real Hardwood Surface

scratch surface is obtained.

HM WALK is constructed using the highest quality hardwoods which ensures an aesthetically attractive surface that is extremely strong.

# HM WALK Specification

|                                  | HM WALK SATIN  | HM WALK OAK                                      | HM WALK MATTE  |
|----------------------------------|--|--|--|
| Species                          | Blackbutt, Brush Box, Ironbark,<br>Jarrah*, Spotted Gum & Sydney<br>Blue Gum | American White Oak                               | Blackbutt, Brush Box, Ironbark,<br>Silvertop, Spotted Gum, Sydney<br>Blue Gum & Tallowwood |
| Size                             | 136mm x 13.5mm,<br>186mm x 13.5mm  | 186mm x 13.5mm                                   | 136mm x 12.5mm   |
| Locking System                   | Välinge 2G glueless joining system   | Välinge 2G glueless joining system               | Välinge 5G glueless joining system   |
| Finish                           | Satin  | Matte  | Matte  |
| Core Material                    | Plantation Eucalypt  | Plantation Eucalypt                              | Plantation Eucalypt  |
| Profile                          | Micro Bevel (ends and sides)   | Micro Bevel (ends and sides)                     | Micro Bevel (ends and sides)   |
| Wear Layer                       | 0.6mm Lamella  | 0.6mm Lamella                                    | 0.6mm Lamella  |
| Length                           | 1,830mm  | 1,830mm  | 1,830mm  |
| Surface                          | Smooth   | Smooth   | Smooth   |
| Coating                          | 13 Coats incorporating<br>Aluminium Oxide                                    | 13 Coats incorporating<br>Aluminium Oxide        | 13 Coats incorporating<br>Aluminium Oxide  |
| Coverage                         | 136mm: 1.493M²<br>186mm: 2.042M²   | 186mm: 2.042M <sup>2</sup>                       | 136mm: 1.493M <sup>2</sup>   |
| Packaging                        | 6 rows per carton, with up to 2 nested rows                                  | 6 rows per carton, with up to 2 nested rows      | 6 rows per carton, with up to 2 nested rows  |
| Install Suitability              | Floating, direct glue  | Floating, direct glue                            | Floating, direct glue  |
| Sub Floor Heating<br>Suitability | Yes  | Yes  | Yes  |
| Install Over                     | Wood, concrete, plywood & particleboard flooring                             | Wood, concrete, plywood & particleboard flooring | Wood, concrete, plywood & particleboard flooring   |
| Colour Match<br>Accessories      | Aluminium trims & MDF<br>wrapped scotia                                      | Aluminium trims & MDF<br>wrapped scotia          | Aluminium trims & MDF<br>wrapped scotia  |

\* Jarrah is only available in the 136mm board width.



QLD (07) 3442 6391 | VIC & TAS (03) 8794 3390 NSW & ACT (02) 4648 3070 SA & NT (08) 8794 3390 | WA 0448 132 955 Email: sales@completefloorsaus.com.au Web: www.completefloorsaustralia.com.au Distributed by:

HWH22373

